




May 2020

### AMBLESIDE AREA PHO. JMETER TEST RESULTS

Date	Sample Site	Sample description	Phos	Iron	Test Results				pH	Fain result	Comments	ALK
					Asmo	Comp	Snap	OSM				
02-5-21	Headwaters	Final	0520	0426	/ /		✓		7.2	3.1	MLSS = 760	80
04/05	"	"	0.239	0.514	—		✓		7.04	4.4	MLSS = 848	80
06/05	"	"	0.225	0.263	—		✓		7.07	2.4	MLSS = 816	60
10/05	"	"	0.293	0.260	—		✓		7.07	2.7	" = 916	60
14/05	"	"	0.531	0.389	—		✓		7.06	2.6	" = 855	80
17/05	"	"	0.623	0.516	—		✓		7.03	3.7	" = 838	80
19/05	"	"	0.609	0.299	—		✓		7.06	2.6	" = 931	
24/05	"	"	0.166	0.559	—		✓		6.88	3.5	" = 665	60
26/05	"	"	0.081	0.297	—		✓		6.76	2.2	" = 865	80
28/05	"	"	0.234	0.448	—		✓		6.74	4.5	" = 847	60
30/05	"	"	0610	0468	—		✓		6.83	1.9	" = 975	80



JANUARY 2021

AMBLESIDE AREA PHOTOMETER TEST RESULTS

Sample			Test Results							Comments	
Date	Site	Sample description	Phos	Iron	Ammo	Comp	Snap	OSM	pH		PaIn result
04-01-21	HAWKSHED	FE	0.817	0.297	/		✓	2.5	4.8*	2.5	MLSS - 849
06/01/21	"	"	0.240	0.878	/		✓		6.81	4.6	MLSS = 697.
8/01/21	"	"	0.266	1.07	/		✓	1/10	6.80	3.0	" - 689
11/01/21	"	"	0.457	2.30	/		✓	1/10	6.81	5.0	" - 371*
13/01/21	"	"	0.139	0.464	/		✓	1/10	6.90	2.4	" - 926
18/01/21	"	"	0.171	0.854	/		✓	1/10	7.01	3.3	" - 725
20/01/21	"	"	0.173	1.05	/		✓	1/10	6.96	4.2	" - 559
22/01/21	"	"	0.217	1.31	/		✓		6.82	5.1	" - 521
28/01/21	"	"	0.186	1.00	/		✓		6.87	4.9	" - 956*



FEBRUARY 2021

AMBLESIDE AREA PHO. JIMETER TEST RESULTS

Date	Site	Sample description	Pinc	Vpn	Test Results					Comments	Alt	
					Amno	Comp	Snop	OSM	pH			Path result
01/02	HAWKSHEAD	FE	0.149	0.973	/		✓		6.98	2.6	MLSS = 735	
03/2	—	FE SNEC	0.08	0.796	/		✓		6.7	4.2	MLSS = 808	
05/02	—	—	0.084	0.659	/		✓		6.79	2.7	— = 733	
08/02	—	—	0.108	0.731	/		✓		6.73	2.7	— = 773	
10/02	—	—	0.142	0.857	/		✓		6.94	4.0	— = 816	
12/2	—	—	0.268	1.49	/		✓		7.00	3.4	— = 353	Value Factorial read 5000 to 700
15/2	—	—	0.445	2.51*	/		✓		7.06	9.0	— = 517	
17/2	—	—	0.304	0.461	/		✓		7.0	4.8	— = 512	
19/2	—	—	0.209	0.254	/		✓		6.7	4.2	— = 552	40
22/2	—	—	0.057	0.138	/		✓		6.92	1.0	— = 811	40
25/2	—	—	0.166	1.11	/		✓		6.88	4.0	— = 752	40




MARCH 2021

## AMBLESIDE AREA PHO. J METER TEST RESULTS

Sample			Test Results								Comments	ALK
Date	Site	Sample description	Phos	Iron	Amno	Comp	Snap	OSM	pH	Fain result		
01/03	HEWKSHEAD	FE	0.322	1.85	/		✓	H/A	6.88	6.6	MLSS = 725	40
04/03	—	—	0.304	1.71	/		✓	H/A	6.80	6.0	— = 763	40
08/03	—	—	0.031	0.392	/		✓	H/A	6.90	0.8	— = 820	60
10/03	—	—	0.151	1.23	/		✓	H/A	7.01	6.0	— = 412*	40
12/03	—	—	0.177	1.38	/		✓	H/A	7.04	5.8	— = 513	40
15/03	—	—	0.171	1.34	/		✓		6.80	4.7	— = 512	40
17/03	—	—	0.208	1.43	/		✓		6.85	5.0	— = 527	40
19/03	—	—	0.226	1.44	/		✓		6.80	5.0	— = 800	40
22/03	—	—	0.291	1.58	/		✓		6.71	6.1	— = 840	40
24/03	—	—	0.406	1.99	/		✓		6.70	7.2	— = 836	60
26/03	—	—	0.348	1.38	/		✓		6.71	10.0	— = 918	40






JUNE 2021

### AMBLESIDE AREA PHO. JOMETER TEST RESULTS

Sample		Sample description	* ESCALATION		Test Results						Comments	ALK
Date	Site		Phos	Iron	Amno	Comp	Snap	OSM	pH	Pain result		
02/06	HAWKSHEAD	FE	1.29*	0.807	—	—	✓	—	7.03	5.2	MLSS = 1025	90
04/06	—	—	1.27*	0.447	—	—	✓	—	7.04	4.8	— = 880	80
08/06	—	—	2.48*	0.604	—	—	✓	—	7.16	7.1	— = 955	120
11/06	—	—	0.459	0.312	—	—	✓	—	7.02	2.2	— = 880	80
14/06	—	—	1.76*	0.355	—	—	✓	—	7.31	3.8	— = 595	120
16/06	—	—	2.11*	0.641	—	—	✓	—	6.96	7.4	— = 817	60
21/06	—	—	2.13*	0.651	—	—	✓	—	6.61	8.0	— = 808	—
23/06	—	—	2.54*	0.903	—	—	✓	6.7	5.76	12.2	— = 951	60
25/06	—	—	2.33*	0.498	—	—	✓	—	* 6.11	6.3	— = 1041	60
28/06	—	— OSM	1.86	0.339	—	—	✓	✓	6.68	4.1	— = 1250	40
28/06	—	— 1.86	1.77	0.352	—	—	✓	✓	6.62	1.3	— = 820	40
30/06	—	— Fe	* 2.25	0.391	—	—	✓	✓	6.28	4.0	— = 850	50

Weak over raising



July 2011  
Hawkhead WWTW

AMBLESIDE AREA PHOTOMETER TEST RESULTS


Date	Site	Sample description	Test Results									Comments
			Phos #	Iron	Ammo	Cond	Slag	ODM	pH	Fluor result		
27-2	Hawkhead	FE obsn	*1.85	0.611	/		✓	✓	6.95	1.8	MLSS = 805	NA
6-7-2	-	FC	*1.624	0.268	/		✓		6.3	3.2	MLSS = 815	60
08-7	-	FC	*1.77	0.302	/		✓		6.67	1.9	MLSS = 802	40
09-7	-	/	/	/	/		✓		6.60	3.1	- = 850	40
12/7	-	-	*2.59	0.728	-		✓		6.68	10.1	- = 916	60
14/7	-	-	*2.35	0.413	-		✓		6.80	4.1	- = 751	40
23/7	-	-	*3.14	0.618	-		✓		6.64	8.0	- = 850	40
26/7	-	-	*2.63	0.476	-		✓		6.84	5.0	- = 945	60
28/7	-	-	*2.39	0.297	-		✓		6.81	2.8	- = 765	40
30/7	-	(3 REB)	*2.14	0.437	-		✓		6.75	3.6	- = 510	40
			0.512	0.270	-		✓		6.79	2.4	- = 825	60



AUGUST 2021

AMBLESIDE AREA PHOTOMETER TEST RESULTS


Sample													
Date	Site	Sample Description	Phos	Iron	Test Results						Comments	ALK	
					Ammon	Comp	Snop	OSM	pH	Fiber result			
02/08	HAWKSTEAD	FE	*2.61	0.4429	/			✓		7.04	4.8	MLSS = 824	80
05/08	---	---	*2.25	0.370	/			✓		7.00	2.8	--- = 709	120
09/08	---	---	0.291	0.211	/			✓		6.75	3.1	--- = 872	60
11/08	---	---	0.300	0.247	/			✓		6.70	3.5	--- = 803	80
13/08	---	---	0.177	0.283	/			✓	%	6.96	2.4	--- = 811	60
15/08	---	---	*1.27	0.574	/			✓	%	6.78	3.8	--- = 817	40
18/08	---	---	*1.19	0.703	/			✓	%	6.77	5.1	--- = 867	40
20/08	---	---	0.648	0.611	/			✓	%	6.72	4.3	--- = 787	40
24/08	---	FE	0.793	0.717	/			✓	4/4	6.50	3.7	--- = 1000	40
26/08	---	---	*1.55 <sup>0.002</sup>	0.652	/			✓	1/4	6.9	2.6	--- = 849	40
29/08	---	---	*1.57	1.60	/				4/4	7.11	3.5	--- = 843	120
31/08	---	---	*1.82	*2.44	/				9/8	6.70	11.9	--- = 1081	120



SEPTEMBER 2021

AMBLESIDE AREA PHOTOMETER TEST RESULTS


Date	Site	Sample description	Test Results								Comments	
			Phos	Iron	Amno	Comp	Snap	OSM	pH	PaIn result		
02/09	HANKSHEAD	FE	0.815*	1.42	/		✓		7.2	6.6	MLSS 960	ALL
03/09	"	"	0.433	0.474	/		✓	"	6.97	3.0	" = 673	120
07/09	"	"	0.996	0.322	/		✓	"	7.01	4.8	" = 848	120
10/09	"	"	*1.02	0.435	/		✓	"	6.90	3.1	" = 804	180
13/09	"	"	*1.50	1.37	/		✓	"	7.00	5.2	" = 880	40
15/09	"	"	*1.00	0.582	/		✓	"	6.96	6.0	" = 960	60
17/09	"	"	*0.902	0.661	/		✓		7.27	5.9	" = 741	60
21/09	"	"	0.871	0.550	/		✓		7.14	4.8	" = 829	40
23/09	"	"	*1.13	0.868	/		✓		7.24	5.0	" = 833	80
27/09	"	S. REG.	0.246	0.795	/		✓		6.65	8.0	" = 883	60
28-01	"	FE	0.261	0.850	/		✓		6.93	4.0	" = 1052	40



OCTOBER 2021

### AMBLESIDE AREA PHOSPHORUS METER TEST RESULTS

Sample			Test Results							Comments	ALK		
Date	Site	Sample description	Phos	Iron	Ammo	Comp	Snap	OSM	pH			Pain result	
1/10/21	HAWKSHEAD	FE	0.220	0.978	/		✓		7.51	8.0	MLSS = 745	40	
05-10-21	—	FE	0.115	0.641	/		✓		7.3	2.2	MLSS = 760	40	
12/10/21	—	—	0.039	0.207	/		✓		7.12	1.3	MLSS = 805	40	
13-10-21	—	—	0.045	0.443	/		✓		7.4	2.6	MLSS 879	40	
12-10-21	—	OSM <sup>SHAWSON</sup>	0.529	0.189	Tested on 13/10/21		✓		6.60	2.0	MLSS 830	40	
18-10-21	—	FE	0.616	0.118	/		✓		6.8	2.5	MLSS 916	40	
19-10-21	—	FE	0.409	0.168	/		✓		4/4	6.95	4.0	MLSS 600	80
22-10-21	—	FE	0.695	0.188	/		✓		8-82	6.5	MLSS 850	50	
25-10-21	—	—	1.05	0.416	/		✓						



FEB 2022

AMBLESIDE AREA PHO. J METER TEST RESULTS

Sample			Test Results							Comments	ALK	
Date	Site	Sample description	Phos	Iron	Ammo	Comp	Snap	OSM	pH			Pain result
03/02	HANKSHEAD	FE	0.819	0.120	/		✓		6.68	3.7	MLSS = 1025	40
07/02	"	"	0.773	0.091	/		✓		6.85	6.2	" = 541 *	40
11/02	"	"	0.565	0.087	/		✓		6.97	6.0	" = 739	40
14/02	"	"	0.598	0.064	/		✓		6.88	4.3	" = 768	40
18/02	"	"	0.455	0.060	/		✓		6.71	4.3	" = 773	40
22/02	"	"	0.314	0.080	/		✓		6.87	5.0	" = 695	40
24/02	"	"	0.526	0.081	/		✓		6.78	4.8	" = 814	40
28/02	"	"	0.960	0.095	/		✓		6.83	4.6	" = 795	120!
20/21st STORM FRANKLIN - SITE WITHOUT POWER 12 HRS! + PUMP STATION *												



MARCH 2022

### AMBLESIDE AREA PHOSPHORUS METER TEST RESULTS

Sample			Test Results						Comments	ALK		
Date	Site	Sample description	Phos	Iron	Amo	Comp	Snap	OSM			pH	Pain result
									6.73	5.0	MLSS = 795	40
3/3/22	HANKS HEAD	FE	0.467	0.111	—	—	✓	—	6.81	5.4	MLSS 850	70
08/3/22	—	FE	1.54	0.127	—	—	✓	—	6.76	4.3	— = 865	80
11/3/22	—	—	1.54	0.154	—	—	✓	—	6.66	5.3	— = 895	40
15/3/22	—	—	1.76	0.134	—	—	✓	—	6.61	5.0	— = 843	80
18/3/22	—	—	1.38	0.138	—	—	✓	—	6.71	4.4	— = 865	80
21/3/22	—	—	2.14	0.161	—	—	✓	—	6.71	7.0	— = 920	60
23/3/22	—	—	2.25	0.171	—	—	✓	—	6.60	5.9	— = 861	120
25/3/22	—	—	2.18	0.212	—	—	✓	—	6.56	3.5	— = 851	60
28/3/22	—	—	2.54	0.219	—	—	✓	—	6.77	4.7	— = 905	40
31/3/22	—	—	2.37	0.205	—	—	✓	—				

... SITE \* OFF UNTIL INSTRUCTED \*

APR 11 2022

ANALYTICAL AREA PH... METER TEST RESULTS

Lab	ID	Sample description	PH		Temp		pH	pH	Comments	ML
			1	2	1	2				
10/1/22	10/1/22	FE	2.38	0.297	—	—	6.97	7.0	Mass = 10.32	60
10/1/22	10/1/22	—	1.19	0.151	—	—	7.51	37	— = 9.62	—
10/1/22	10/1/22	—	1.03	0.146	—	—	7.23	22	— = 3.24	140
10/1/22	10/1/22	—	2.05	0.154	—	—	6.82	5.0	— = 3.79	130
10/1/22	10/1/22	—	1.91	0.187	—	—	6.67	2.4	— = 9.41	140
10/1/22	10/1/22	—	1.88	0.156	—	—	6.45	3.3	— = 9.63	140
10/1/22	10/1/22	—	2.18	0.252	—	—	6.66	1.2	— = 12.42	140
10/1/22	10/1/22	—	1.64	0.176	—	—	6.65	3.9	— = 13.88	140
10/1/22	10/1/22	—	2.43	0.199	—	—	6.83	2.0	— = 13.50	140

\* NO FERRIC DUSTING SINCE 23/12/2021 \*




MAY 2022


AMBLESIDE AREA PHO. METER TEST RESULTS

Date	Site	Sample description	Test Results							Comments	ALK		
			Phos	Iron	Ammo	Comp	Snaps	PH	PaIn result				
1/5	HAWKSHED	FE	2.27	0.197	—	—	✓	6.91	6.78	2.8	MLSS = 1200	50	
3/5	—	—	2.45	0.182	—	—	✓	6.28	5.82	5.2	X4 BAGS LIME IN DITCH	MLSS = 945	
4/5	—	—	2.29	0.196	—	—	✓	7.30	7.41	3.1	MLSS = 989	80	
5/5	—	—	2.30	0.185	—	—	✓	7.39	7.33	2.1	— = 1005	120	
6/5	—	—	2.43	0.186	—	—	✓	7.35	7.30	2.9	— = 1095	100	
9/5	—	—	2.67	0.204	—	—	✓	6.38	6.74	2.3	— = 1035	40	
10/5	—	—	2.14	0.225	—	—	✓	7.29	7.21	2.5	— = 1111	—	
13/5	—	—	2.57	0.198	—	—	✓	7.08	7.06	2.4	— = 1000	60	
16/5	—	—	2.59	0.158	—	—	✓	7.13	6.34	2.8	— = 1036	40	
18/5	—	—	2.14	0.266	—	—	✓	6.60	5.15	3.4	X2 BAGS LIME IN	MLSS = 936	40
20/5	—	—	1.95	0.728	—	—	✓	7.11	6.23	4.1	MLSS = 832	40	
23/05	—	—	2.04	0.686	—	—	✓	7.20	6.43	3.3	— = 755	60	
25/05	—	- O.S.M. -	1.89	0.184	—	—	✓	7.20	6.20	3.0	— = 777	40	
26/05	—	—	1.93	5.37!	—	—	✓	6.76	6.86	4.6	— = 766	—	
27/05	—	FE	1.93	5.37!	—	—	✓	6.83	6.55	8.0	— = 789	40	
30/05	—	—	1.61	0.232	—	—	✓	7.20	6.50	3.5	— = 745	40	
31/05	—	—	1.84	0.200	—	—	✓	6.95	6.28*	2.2	— = 795	50	
	—	—	2.19	0.265	—	—	✓	6.97	6.28	2.8	— = 784	60	

\* Ferric Turned Off 23/12/2021 \*

\* Ferric Back on 25/05/2022





JUNE 2022

AMBLESIDE AREA PHOSPHATE METER TEST RESULTS

Sample			Test Results					pH	SRTC pH	Pain result	Comments	ALK
Date	Site	Sample description	Phos	Iron	Azmo	Comp	Snap					
01/06	HAWKSHEAD	FE	1.59	0.253	/		✓	7.34	6.68	6.0	MLSS = 758	60
05/06	—	—	1.68	0.121	/		✓	7.03	6.22	2.0	— = 780	40
06/06	—	—	2.10	0.167	/		✓	6.89	6.38	3.2	— = 800	40
08/06	—	—	1.79	0.171	/		✓	6.87	5.73	4.5	— = 799	40
09/06	—	—	1.17	0.176	/		✓	7.36	6.62	1.9	— = 768	80
10/06	—	—	1.10	0.204	/		✓	7.29	6.44	2.8	— = 793	80
13/06	—	—	1.73	0.139	/		✓	6.89	6.04	4.0	— = 796	40
15/06	—	—	1.94	0.140	/		✓	6.87	6.38	1.8	— = 1063	60
17/06	—	—	1.80	0.204	/			7.21	6.51	2.3	— = 770	40
20/06	—	—	2.14	0.132	/			6.89	5.94	1.7	— = 791	40
22/06	—	—	2.32	0.160	/		(x3 bags fine)	7.11	6.11	4.0	— = 884	40
24/06	—	—	2.15	0.164	/			7.56	6.65	3.0	— = 893	120
27/06	—	—	1.76	0.188	/			7.14	6.25	6.1	— = 790	40
29/06	—	—	1.17	0.113	/			7.34	6.39	2.8	— = 788	40

\* FERRIC DOSING OFF - WAITING FOR PUMP SPARES \*

\* PH PROBE ON SITE NOT READING CORRECT VALUE - WAITING FOR SALT BRIDGES + ELECTROLYTES - ON ORDER - [REDACTED] \*



July 2022

### AMBLESIDE AREA PHO. METER TEST RESULTS

Date	Site	Sample description	Test Results					N/H PH	SITF pH	Pain result	Comments	ALC
			Phos	Iron	Amno	Comp	Snap					
01/07	HAWKSHEAD	FE	1.23	0.116	/		✓	7.35	6.44	2.7	MLSS = 797	NO
04/07	"	"	1.81	0.124	/		✓	6.71	5.66	2.6	" = 908	NO
07/07	"	"	0.809	0.444	4.66		✓	7.25	6.28	2.1	" = 793 NITRATE 14.4	NO
08/07	"	"	1.86	0.149	1.21		✓	6.82	6.87	3.5	" = 664 4.42	NO
11/07	"	"	2.36	0.189	2.06		✓	6.77	6.41	4.2	" = 799 12.7	NO
13/07	"	"	2.33	0.201	1.19		✓	7.71	7.35	8.0	" = 800 6.5	120
14/07	"	"	2.07	0.180	0.859		✓	7.81	7.26	5.0	" = 781 5.4	120
18/07	"	"	1.83	0.186	0.844		✓	7.14	6.86	4.6	" = 810 18.7	80
25/07	"	"	1.51	0.131	0.083		✓	7.18	6.47	3.8	" = 962 17.8	50
27/07	"	"	2.01	0.191	0.662		✓	6.58	7.12	3.4	" = 787 7.37	50
29/07	"	"	1.08	0.427	0.333		✓	6.98	6.78	3.7	" = 788 5.58	50

\* NOT CONSENTED FOR AMMO OR NITRATE \*

\* Ferric dosing off \* waiting for pump spares

\* PH probe faulty - waiting for Salt Bridge + Electrolyte - [REDACTED] S/W PH COLISADMS 02-7-22 Well P Salt Bridge + ELECHOLYT.



AUGUST 22


AMBLESIDE AREA PHU. DIAPYCNEMETER TEST RESULTS

Date	Site	Sample description	Phos	Iron	Test Results				Comments		
					Ammo	ALK	Snop	HH			
01/08	HAWKSHED	FE	1.74	0.282	0.975	60	✓	672	6.51	4.4	MLSS=758 NITR=862
03/08	---	---	0.543	0.247	0.057	40	✓	695	6.68	4.0	---=786 ---=528
05/08	---	---	0.837	0.156	0.473	50	✓	659	6.47	5.3	---=714 ---=544
08/08	---	---	0.714	0.681	1.33	50	✓	665	6.31	5.6	---=731 ---=884
10/08	---	---	1.07	0.680	3.04	60	✓	704	6.80	2.9	---=771 ---=694
11/08	---	---	---	---	---	---	---	---	6.76	2.1	---=784
12/08	---	---	---	---	---	---	---	7.02	6.78	2.5	---=779
16/08	---	---	1.71	0.191	0.927	50	✓	698	6.70	1.6	---=792 14.6
22/08	---	---	1.78	0.314	0.240	40	✓	668	6.56	1.3	---=790 NITR=138
23/08	---	---	---	---	---	---	---	---	6.78	1.3	---=770
25/08	---	---	0.872	0.314	0.324	120	✓	730	7.15	1.7	---=782 NITR=123
29/08	---	---	1.97	0.130	---	50	✓	720	7.02	2.0	---=810
30/08	---	---	1.93	0.222	---	60	✓	732	7.20	1.2	---=772

SEPTEMBER 2022

AMBLESIDE AREA PHO. J METER TEST RESULTS

Sample			Test Results							Comments	
Date	Site	Sample description	Phos	Iron	Ammon	Comp	ALK	OSM	SITE pH		PAH
05/09	HAWKSHEAD	FE	1.73	0.271	0.051		60	6.96	7.17	12.6	MLSS = 777 NITR = 12.6
07/09	— " —	— " —	1.77	0.156	—		50	7.14	7.45	2.6	— " — = 681
08/09	— " —	— " —	1.09	0.193	—		50	7.20	7.28	4.6	— " — = 776
15/09	— " —	— " —	1.20	0.174	0.041		60	7.07	7.20	2.2	— " — = 754 NITR = 8.26
18/09	— " —	— " —	1.69	0.106	—		70	7.01	7.43	1.4	— " — = 728
20/09	— " —	— " —	1.60	0.229	0.039		60	6.57	6.34	3.6	— " — = 774 — " — = 16.3
26/09	— " —	— " —	1.37	0.174	—		50	7.02	7.13	4.0	— " — = 866
29/09	— " —	— " —	1.03	0.248	0.035		60	7.25	7.26	1.6	— " — = 782 — " — = 8.24



OCTOBER 2022

### AMBLESIDE AREA PHO. J METER TEST RESULTS

Sample			Test Results							Comments			
Date	Site	Sample description	Phos	Iron	Amno	Comp	ALK	OSM	SIZE		pH	AN	Pain result
3/10	HAWKSHEAD	FE	1.60	0.277	—	—	50	—	675	7.5	—	2.2	MLSS= 810
5/10	—	—	1.70	0.343	—	—	50	—	682	7.38	—	2.2	— = 777
11/10	—	—	0.109	0.363	0.019	—	50	—	7.0	7.21	—	2.6	— = 826 NITR 3.60
14/10	—	—	0.113	0.345	—	—	40	—	698	7.21	—	3.7	— = 779
17/10	—	—	0.124	0.359	0.015	—	80	—	676	7.22	—	3.1	— = 800 NITR 5.51
19/10	—	—	0.130	0.412	—	—	50	—	697	7.25	—	2.2	— = 768
21/10	—	—	0.213	1.45	—	—	50	—	703	7.21	—	3.6	— = ?? FAULTY UNIT
24/10	—	—	0.191	0.817	—	—	60	—	680	7.20	—	3.2	— = 688 ALL OK
26/10	—	—	0.274	0.571	—	—	60	—	670	7.07	—	3.5	— = 661 ALL OK







Water for the North West

Wastewater Treatment

HAWKSHEAD


Version: 1  
Issue date: 23/11/2022  
Expiry date: 23/11/2025

Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing: FEBRUARY 2023

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
01/02	H/H	FE	1.62	0.375	—	7.22	7.40	30.0	622	—	60	6.3
06/02	—A—	—A—	1.39	0.368	—	7.23	7.24	7.9	911	—	—	5.5
08/02	—A—	—A—	0.683	0.520	—	7.17	7.28	8.0	917	—	80	6.7
10/02	—A—	—A—	0.622	0.623	—	7.17	7.28	7.6	1038	—	100	6.8
13/02	—A—	—A—	0.928	0.595	—	7.14	7.35	7.1	1120	2.69	100	7.3
15/02	—A—	—A—	0.706	0.528	—	7.04	7.28	5.9	1212	2.87	80	6.0
17/02	—A—	—A—	0.497	0.550	5.494 NO COMB	6.95	7.17	7.6	1180	2.44	40	7.6
21/02	—A—	—A—	0.156	0.360	—	6.94	6.99	4.7	1276	2.24	40	8.0
23/02	—A—	—A—	0.163	0.299	—	7.02	6.87	4.8	1327	3.09	40	6.6

Femi BACK ON 07/02 - T.O INSTR. / SITE IN MODE 1 01/02 → 23/02 MODE 3






Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing:

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	WH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
5-4-23	HYPACKSHEAD	FE	0.28	0.52	/	7.36	6.87	3.5	781	/	40	8.5
9-4-23	✓	✓	1.07	0.140	/	6.67	7.04	1.6	860	/	80	10.1
11/4/23	✓	✓	1.92	0.214	✓	7.08	6.94	3.5	828	✓	60	9.9
14/4/23	✓	✓	0.928	0.222	✓	7.03	6.80	2.4	940	✓	60	8.4
19/4/23	✓	✓	1.26	0.172	✓	6.76	6.69	2.7	813	✓	40	10.5
24/4/23	✓	✓	1.62	0.392	0.042	6.50	6.63	3.2	800	✓	40	10.7 X.3 PALS LIFE
26/4/23	✓	✓	1.26	0.190	✓	7.03	7.16	1.5	780	✓	40	10.6 X.2 MCLMAY 1922 ADDED
28/4/23	✓	✓	1.13	0.137	✓	7.18	7.20	0.8	845	✓	80	9.8
			1.14	0.220	✓	6.90	7.10	3.0	727	✓	40	10.7





**Onsite Monitoring Results Record Sheet**

Ambleside Area Photometer Testing:

*JUNE 2023*

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
01-06-23	W54600	FE	2.15	0.157	1.71	7.27	7.40	1.2	826	/	80	18.3
05/06/23	"	"	2.39	0.226	/	7.18	7.18	1.7	735	-	60	18.3
08/06/23	"	"	2.08	0.184	/	/	/	/	/	/	/	/
09-06-23	"	"	1.93	0.130	/	7.22	7.29	1.3	820	/	50	15.2
12/06/23	"	"	2.67	0.155	/	7.08	7.18	0.8	696	/	80	21.3
14/06/23	"	"	2.85	0.162	/	7.19	7.04	1.0	782	/	120	21.9
16/06/23	"	"	2.80	0.145	/	7.13	/	0.8	857	/	120	21.4
20/06/23	"	"	1.60	0.152	/	7.12	/	1.3	475	-	40	19.6
23/06/23	"	"	1.74	0.126	/	7.51	7.22	1.4	570	-	80	20.3
29/06/23	"	"	0.797	0.138	/	6.98	7.04	1.6	814	-	50	17.2

\* Ferric Dosing increase required (ESCALATED) \*







Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing:

AUGUST 2023

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	ISI pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
01/08	HAWKSHED	FE	0.714	0.323	—	7.21	6.65	2.6	714	—	40	15.2
03/08	—	—	—	—	—	7.33	6.67	3.2	800	—	40	15.0
07/08/23	—	—	0.188	0.304	—	7.07	7.14	1.9	767	—	50	15.4
14/08/23	—	—	1.47	0.204	—	6.12	6.78	3.2	767	—	80	16.3
16/08/23	—	—	—	—	—	6.30	6.88	3.8	565	—	70	15.3
17/08/23	—	—	0.309	0.382	—	6.20	6.76	1.4	621	—	70	15.0
21/08/23	—	—	0.299	0.354	—	7.44	7.70	5.5	756	—	80	15.9
22/08/23	—	—	1.05	0.968	—	7.04	7.04	2.4	742	—	—	16.1
23/08/23	—	—	0.157	0.204	—	6.91	6.99	1.4	756	—	50	16.3









Water for the North West

Wastewater Treatment

Version: 2  
Issue date: 25/01/2022  
Expiry date: 25/01/2025


### Onsite Monitoring Results Record Sheet

Amiscliffe Area Photometer Testing: **NOVEMBER 2023**

Date	Site	Sample Type	PHOS (mg/l)	NO3 (mg/l)	AMMON (mg/l)	Site pH	HR pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	RT Temperature (°C)
01/11	HARRISHEAD	FE	0.247	0.598	—	6.12	6.51	3.5	784	10.1	40	10.6
03/11	—	—	0.123	0.365	—	7.0	7.01	3.2	794	—	40	10.4
06/11	—	—	0.251	0.529	—	6.92	6.31	3.6	812	—	40	11.2
08/11	—	—	0.134	0.538	—	7.25	6.97	3.1	762	—	40	10.3
10/11	—	OSM	0.101	0.501	—	7.21	—	5.0	785	—	40	9.4
15/11	—	FE	0.102	0.444	—	6.80	6.98	2.4	816	—	40	9.7
20/11	—	—	0.710	0.632	—	7.29	—	3.2	800	—	40	9.4
22/11	—	—	0.352	0.798	—	7.47	7.04	2.8	784	—	40	10.3
24/11	—	—	0.360	0.840	—	7.29	7.48	3.5	732	—	60	10.2
27/11	—	—	0.597	0.740	—	7.06	6.75	2.9	804	—	40	9.8
29/11	—	—	0.151	0.925	—	6.76	6.83	3.8	703	—	40	8.5
			0.081	0.930	—	7.29	6.83	2.7	761	—	40	6.8

(AIR) (-4°)

\* 09/11 OSM \*





Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing: **DECEMBER 23**

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
01/12	HAWKSHEAD	FE	0.127	0.703	—	7.26	7.00	3.6	782	—	40	5.3
07/12	— " —	—	0.225	0.948	3.07	7.04	✓	11.1	560	—	70	4.6
08/12	— " —	—	0.139	0.837	—	6.97	6.97	7.3	658	—	60	6.0
13/12	— " —	—	0.714	1.09	7.4	7.06	✓	5.4	825	—	50	7.4°
15/12	— " —	—	0.122	1.03	✓	7.32	✓	4.6	804	✓	60	7.5°
19/12/23	— " —	—	0.919	1.13	—	7.25	6.91	6.0	800	—	40	8.6
22/12/23	— " —	—	0.162	1.26	—	7.29	6.93	6.8	695	—	40	8.4

04/12 SITE INACCESSIBLE / SNOW

19/12 FAULTY VIALS



Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing:

JANUARY 2024

Date	Site	Sample Type	PHOS (mg/l)	BOD5 (mg/l)	AMMO (mg/l)	Site pH	WH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	PE Temperature (°C)
02/01/24	HAWKSHED	FE	0.249	2.03	—	7.39	6.96	7.8	656	—	40	7.8
05/01/24	—	—	0.239	2.01	—	7.19	6.94	6.6	696	—	40	7.9
09/01/24	—	—	0.242	0.442	—	7.43	6.85	6.3	816	—	40	5.2
11-01-24	—	—	0.397	0.763	—	6.86	7.38	10.0	738	—	40	5.5
18-1-24	—	—	0.394	0.282	—	7.74	7.37	16.8	200	—	60	2.4
24/1/24	—	—	0.410	0.149	—	7.60	7.69	10.2	310	—	50	6.3
26/1/24	—	—	0.285	0.262	—	7.40	6.89	7.6	65	—	50	6.6
29/1/24	—	—	0.673	0.367	—	7.13	6.90	12.3	107	—	40	7.4
31/1/24	—	—	0.299	0.472	—	7.77	7.53	9.0	60/405	—	50	6

2.4 BOD5 LOW  
22.5th day u/u

\* 05/01 Femic Off \*

21<sup>st</sup>/22<sup>nd</sup> STORM ZENA — 23<sup>rd</sup>/24<sup>th</sup> STORM JOCELYN

29<sup>th</sup> - X 13 m<sup>3</sup> RESEED FROM AMBLESIDE



Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing: **FEBRUARY 2024**

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
02/02/24	FRANKSHEDD	FE	0.261	0.329	—	7.53	6.90	5.3	237	—	40	7.2
05/02/24	—	—	0.666	0.777	—	7.06	6.90	8.7	118	—	40	8.0
09/02/24	—	—	0.614	0.786	—	6.83	7.35	4.5	375	—	50	5.8
12/02/24	—	—	0.912	0.801	—	6.84	6.76	9.0	91	—	50	6.5
14/02/24	—	—	0.968	0.938	—	6.98	6.80	13.5	120	—	50	7.3
16/02/24	—	—	0.459	0.981	—	7.40	7.08	14.4	77.7	—	50	8.4
20/02/24	—	—	0.391	0.774	—	7.15	6.89	14.4	366	—	50	8.4
22/02/24	—	—	0.292	0.621	—	7.13	7.01	16.1	450	—	40	8.2
* 26/02/24	—	—	0.674	0.449	—	6.89	6.92	7.1	236	—	50	6.5
* 28/02/24	—	—	0.552	0.406	—	6.91	6.99	11.1	581	—	50	6.6

\* FULLY UPDATED ON LOW MLSS \* \*RESEED 26m<sup>3</sup> 28/02\*













Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing: **AUGUST 2024**

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
02/08/24	HAWKSHEAD	FE	0.641	0.301	—	6.73	6.85	0.9	747	—	40	18.5
(M) 05/08/24	—	—	0.722	0.832	—	6.10	?	3.4	724	—	40	16.8
07/08/24	—	—	0.209	0.470	—	7.11	6.80	1.6	787	—	40	15.8
09/08/24	—	—	0.218	0.388	—	7.11	?	1.6	787	—	40	15.8
(M) 12/08/24	—	—	0.615	0.368	—	6.33	?	2.5	772	—	40	17.8
14/08/24	—	—	0.442	0.209	—	7.01	—	1.2	759	—	40	16.3
15-08-24	—	—	0.265	0.302	0.104	7.03	6.95	3.1	706	—	50	16.1
(M) 19/08/24	—	—	0.939	0.407	—	6.52	?	2.6	1150	—	40	15.7 x1 Bag line
20/08/24	—	—	0.670	0.335	—	7.00	7.40	2.3	700	—	40	14.3
22/08/24	—	—	0.905	0.105	—	7.08	7.10	1.6	725	—	40	15.2
29/08/24	—	—	0.807	0.241	—	7.34	7.16	3.0	809	—	50	14.5
30/08/24	—	—	0.230	0.220	—	7.40	7.07	2.8	782	—	60	14.2



Water for the North West

Wastewater Treatment

Version: 2  
Issue Date: 23/11/2022  
Expiry Date: 23/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing: **SEPTEMBER 24**

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	SRP pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	DE Temperature (°C)
02/09/24	LANCDALE	FE	0.257	0.442	0.204	6.40	7.30	1.4	714	—	110	17.5
04/09/24	—	—	0.261	0.472	0.158	6.66	6.60	2.9	697	—	40	16.8
06/09/24	—	—	0.202	0.561	0.122	6.73	6.77	5.8	580	—	60	17.2
09/09/24	—	—	0.837	0.650	1.08	6.23	6.10	3.1	730	—	30	17.6
11/09/24	—	—	0.490	0.439	0.270	6.51	6.64	2.2	690	—	30	15.8
13/09/24	—	—	1.76	0.139	0.441	6.54	6.64	1.2	780	—	40	14.6
16/09/24	—	—	1.15	0.099	0.092	6.93	6.97	1.2	699	—	80	14.8
18/09/24	—	—	1.76	0.156	0.251	6.65	6.72	1.5	694	—	40	15.9
20/09/24	—	—	1.63	0.420	0.597	6.41	6.44	2.3	685	—	40	15.6
22/09/24	—	—	1.17	0.537	1.24	6.46	6.44	2.9	870	—	30	16.3
25/09/24	—	—	0.807	0.367	0.122	6.56	6.58	1.6	927	—	30	15.6
27/09/24	—	—	0.658	0.213	0.096	6.60	6.68	1.3	875	—	30	14.2

OSM 19/09/24 Phos- 2.11 Iron- 0.125 Ammo- 0.356



Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing:

OCTOBER 2024

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
02/10/24	HAWKSHEAD	FE	0.529	0.124	—	6.66	7.21	1.0	710	—	50	13
04/10/24	—	—	0.834	0.064	—	6.52	7.02	0.8	795	—	40	12.3
(M) 07/10/24	—	—	1.35	0.096	—	6.69	6.76	1.7	861	—	40	12.5
09/10/24	—	—	1.14	0.094	—	6.85	7.02	1.5	783	—	40	12.7
11/10/24	—	—	1.40	0.095	—	6.85	7.08	1.3	792	—	40	10.6
(M) 14/10/24	—	—	1.68	0.100	—	6.42	6.60	0.9	796	—	40	9.5
16/10/24	—	—	1.00	0.087	—	6.88	6.96	3.2	725	—	40	11.6 (HEAVY RAIN)
18/10/24	—	—	0.435	0.074	—	7.18	7.07	1.6	823	—	40	11.8
21/10/24	—	—	0.455	0.062	—	7.14	7.25	2.2	738	—	40	11.2
23/10/24	—	—	0.568	0.078	—	7.20	7.11	2.2	725	—	40	11.4
25/10/24	—	—	0.094	0.564	—	6.94	6.86	2.0	658	—	50	11.9
28/10/24	—	—	0.147	0.528	—	6.80	6.60	4.4	737	—	50	11.9
30-10-24	—	—	0.341	0.765	0.532	7.01	6.83	2.4	600	—	50	11.8
				0.597								

\* 02/10 FERRIC TURNED OFF DUE TO LOW PH \*



Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing:

NOVEMBER 2024

< 10°C \*

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
01/11/24	Hawkshead	FE	0.268	0.502	—	7.01	6.75	2.6	805	—	50	12.2
04/11/24	—	—	0.375	0.474	0.070	6.52	6.36	2.7	753	9.62	50	11.7
06/11/24	—	—	0.206	0.314	—	6.92	6.75	2.0	752	—	50	11.8
08/11/24	—	—	0.337	0.348	—	6.70	6.72	3.0	846	—	50	11.7
11/11/24	—	—	0.278	0.322	0.010	6.52	6.52	2.6	803	11.7	50	9.6 *
13/11/24	—	—	0.287	0.255	0.082	6.96	7.01	2.4	717	9.36	50	8.3 *
15/11/24	—	—	0.302	0.333	0.041	6.95	6.97	2.5	696	7.92	50	9.1 *
18/11/24	—	—	0.391	0.287	1.11	6.40	6.28	2.0	646	10.4	50	7.5 *
20/11/24	—	—	0.749	0.109	0.389	7.15	7.22	3.0	708	9.11	—	5.5 *
25/11/24	—	—	0.105	0.354	—	7.32	7.08	1.3	679	—	80	8.0 *
27/11/24	—	—	0.079	0.467	—	7.15	7.19	1.9	623	—	50	7.3 *
29/11/24	—	—	0.081	0.473	—	7.14	7.21	2.8	663	—	50	6.5 *

18/11/24 FERRIC DOS. OFF (NOW PH) (20/11/24 FERRIC DOS. RESUMED) \* STORM BERT 20<sup>th</sup>/24<sup>th</sup>

\* OSM 25/11 \*



Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing: *December 2024*

*< 10°C*

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
<i>M</i> 02/12/24	<i>Hawkshead</i>	<i>Fe</i>	<i>0.113</i>	<i>0.548</i>	<i>—</i>	<i>7.11</i>	<i>7.30</i>	<i>2.6</i>	<i>472</i>	<i>—</i>	<i>60</i>	<i>8.5</i>
<i>04/12/24</i>	<i>— " —</i>	<i>— " —</i>	<i>0.077</i>	<i>0.679</i>	<i>—</i>	<i>7.13</i>	<i>7.18</i>	<i>2.1</i>	<i>629</i>	<i>—</i>	<i>120</i>	<i>7.1</i>
<i>06/12/24</i>	<i>— " —</i>	<i>— " —</i>	<i>0.066</i>	<i>0.493</i>	<i>—</i>	<i>7.24</i>	<i>7.18</i>	<i>1.9</i>	<i>612</i>	<i>—</i>	<i>60</i>	<i>7.5</i>
<i>M</i> 09/12/24	<i>— " —</i>	<i>— " —</i>	<i>0.135</i>	<i>0.549</i>	<i>—</i>	<i>7.01</i>	<i>7.05</i>	<i>2.6</i>	<i>550</i>	<i>—</i>	<i>50</i>	<i>7.9</i>
<i>11/12/24</i>	<i>— " —</i>	<i>— " —</i>	<i>0.202</i>	<i>1.00</i>	<i>—</i>	<i>7.07</i>	<i>7.21</i>	<i>5.4</i>	<i>440</i>	<i>—</i>	<i>50</i>	<i>6.8</i>
<i>13/12/24</i>	<i>— " —</i>	<i>— " —</i>	<i>0.109</i>	<i>0.989</i>	<i>—</i>	<i>7.09</i>	<i>6.99</i>	<i>2.6</i>	<i>525</i>	<i>—</i>	<i>50</i>	<i>7.3</i>
<i>M</i> 16/12/24	<i>— " —</i>	<i>— " —</i>	<i>0.158</i>	<i>0.882</i>	<i>—</i>	<i>7.07</i>	<i>7.05</i>	<i>3.2</i>	<i>595</i>	<i>—</i>	<i>50</i>	<i>8.3</i>
<i>18/12/24</i>	<i>— " —</i>	<i>— " —</i>	<i>0.162</i>	<i>0.870</i>	<i>—</i>	<i>7.01</i>	<i>6.87</i>	<i>4.5</i>	<i>464</i>	<i>—</i>	<i>50</i>	<i>8.7</i>
<i>20/12/24</i>	<i>— " —</i>	<i>— " —</i>	<i>0.139</i>	<i>0.969</i>	<i>—</i>	<i>7.23</i>	<i>7.06</i>	<i>4.6</i>	<i>573</i>	<i>—</i>	<i>50</i>	<i>6.9</i>
<i>M</i> 23/12/24	<i>— " —</i>	<i>— " —</i>	<i>0.159</i>	<i>0.508</i>	<i>—</i>	<i>7.10</i>	<i>7.2</i>	<i>3.5</i>	<i>810</i>	<i>—</i>	<i>40</i>	<i>8.0</i>
<i>27-12-24</i>	<i>— " —</i>	<i>— " —</i>	<i>0.148</i>	<i>0.804</i>	<i>—</i>	<i>6.63</i>	<i>6.85</i>	<i>2.2</i>	<i>662</i>	<i>—</i>	<i>50</i>	<i>8.5 * Ferns OFF</i>
<i>M</i> 30/12/24	<i>— " —</i>	<i>— " —</i>	<i>0.737</i>	<i>0.123</i>	<i>—</i>	<i>6.71</i>	<i>6.83</i>	<i>2.2</i>	<i>775</i>	<i>—</i>	<i>50</i>	<i>8.2</i>

*\* 7/8" STORM DARRAGH \**

