





FEBRUARY 2021


AMBLESIDE AREA PHG. OMMETER TEST RESULTS

ACK

Sample			Test Results							pH	Pain result	Comments
Date	Site	Sample description	Plus	Inv	Arrow	Comp	Snap	OMM				
01/02	LAWSON	FE	0.170	1.25	/		✓		7.36	6.9	MISS - 809	
03/02	"	" (BRFB)	0.270	0.772	/		✓		7.20	8.5	" - 623	
08/02	"	"	0.228	0.970	/		✓		7.32	8.0	" - 803	
09/02	"	"	0.166	1.22	/		✓		7.50	12.4	" - 788	
11-02	"	Fe Osm	0.238	1.09	/			✓				
12/02	"	"	0.419	0.723	/		✓		7.26	13.2	" - 579	
12/02	"	"	0.176	1.21	/		✓		7.10	6.8	" - 626	
14/2	"	"	0.166	1.14	/		✓		7.01	5.9	" - 695	
24/2	"	"	0.154	1.22	/		✓		7.0	5.0	" - 743	
25/2	"	"	0.143	1.53	/		✓		6.93	7.0	" - 382	

80  
80  
40  
40  
40  
40






APRIL 2021


AMBLESIDE AREA PHO. JMETER TEST RESULTS

Sample			Test Results								Comments	ALK
Date	Site	Sample description	Phos	Iron	Amtno	Comp	Brno	OSM	pH	Fluor result		
01/04	LANGDALE	FE	0.358	0.577	/		✓		7.12	12	MLSS = 334	40
04-04	—i—	—r—	0.146	1.58	/		✓		6.97	84	MLSS = 564	80
08-04	—i—	FE	0.032	1.82	/		✓		6.7	146	MUSI 757	80
12/04	—h—	—h—	0.572	1.37	/		✓		7.27	15	MLSS = 529	40
14/04	—h—	—h—	0.703	1.21	/		✓		7.27	14	—h— = 634	40
16/04	—h—	—h—	0.618	1.50	/		✓		7.06	12.2	—h— = 551	40
19/04	—h—	—h—	0.870	0.640	/		✓		7.02	8.5	—h— = 396	60
21/04	—h—	—h—	0.640	0.561	/		✓		7.12	6.8	—h— = 659	80
27-04-21	—r—	—r—	1.38	0.618	/		✓		7.1	6.7	—i— 446 <sup>M200</sup>	80
29/04	—u—	—u—	1.52	0.329	/		✓		7.02	6.9	—h— = 1026	60



## AMBLESIDE AREA PHOSPHOR METER TEST RESULTS


Sample			Test Results								Comments	AKL
Date	Site	Sample description	Phos	Iron	Amide	Comp	Snap	ODM	pH	Fain result		
02/05	Lonydale	Final	1.50	0.390	/		✓		7.5	6.9	MCSS 1119	80
04/05	---	---	1.10	0.314	/		✓		6.95	10.0	--- = 808	60
06/05	---	---	0.275	0.760	/		✓		6.95	6.8	--- = 631	40
07/05	---	---	0.312	0.982	/		✓		6.86	7.8	--- = 661	60
10/05	---	---	0.327	1.30	/		✓		6.97	8.6	--- = 394	60
12/05	---	---	0.430	1.35	/		✓		6.81	8.2	--- = 512	60
14/05	---	(OSM)	0.376	1.02	/		✓		6.76	8.0	--- = 780	60
17/05	---	---	0.349	0.625	/		✓		6.60	4.7	--- = 1021	80
19/05	---	---	0.479	0.445	/		✓		6.71	3.8	--- = 834	
24/05	---	---	0.181	1.14	/		✓		6.61	4.2	--- = 761	60
27/05	---	(SREG)	0.359	0.322	/		✓		6.72	2.2	--- = 740	80
28/05	---	---	0.608	0.301	/		✓		6.69	2.3	--- = 665	60
30/05	---	---	1.02	0.574	/		✓		6.8	2.3	--- = 843	90



JUNE 2021

AMBLESIDE AREA PHO. J METER TEST RESULTS


Sample			* ESCALATION		Test Results					Comments	N.K.	
Date	Site	Sample description	Phos	Iron	Amno	Comp	Snap	OSM	pH			Fain result
02/06	LANGDALE	FE	*1.81	0.432	/		✓		6.86	3.1	MLSS: 835	80
04/06	— " —	— " —	*2.22	0.338	/		✓		6.92	3.9	— " — = 848	60
08/06	— " —	— " —	*2.23	0.374	/		✓		6.90	3.3	— " — = 880	120
11/06	— " —	— " —	*2.28	0.269	/		✓		6.87	2.2	— " — = 847	80
14/06	— " —	— " —	*2.41	0.239	/		✓		6.87	2.3	— " — = 889	120
17/06	— " —	— " —	*2.00	0.436	/		✓		6.86	3.0	— " — = 912	120
18/06	— " —	— " —	1.56	0.328	/		✓		6.86	3.2	— " — = 902	
21/06	— " —	— " —	1.28	0.330	/		✓		6.84	<del>3.0</del> 3.0	— " — = 865	120
23/06	— " —	— " —	1.86*	0.448	/		✓		6.89	3.1	— " — = 841	120
25/06	— " —	— " OSM	0969	0401	/		✓	✓	6.9	5.7	— " — = 880	100
28/06	— " —	— " Fe	0551	1055+	/		✓		7.06	4.5	— " — = 910	130
30/06	— " —	FE	1.04	0.446	/		✓		6.92	4.3	— " — = 935	150



July 2021

### AMBLESIDE AREA PHOTO METER TEST RESULTS

Date	Site	Sample description	Test Results								Comments	
			Phos	Iron	Ammo	Comp	Snap	OSM	pH	Fain result		
02-07-21	LANGDALE	OSM FE	0.127	0.679	/		✓	✓	6.99	2.4	AMLS 838	ALK 210
07/07	—	—	0.497	0.403	—		✓	✓	6.81	2.5	MCS 710	120
12/07	—	—	0.510	0.416	—		✓		6.72	2.7	— = 856	60?
14/07	—	—	0.492	0.506	—		✓		6.86	2.8	— = 736	120
19/07	—	—	*1.63	0.610	—		✓		6.91	4.5	— = 830	120
23/07	—	—	0.726	0.526	—		✓		6.91	4.6	— = 765	120
26/07	—	—	*2.02	0.627	—		✓		6.99	6.5	— = 785	120
28/07	—	—	0.603	0.287	—		✓		6.90	5.2	— = 854	120
30/07	—	—	0.221	0.169	—		✓		6.89	2.6	— = 843	120



JUNE 2022

AMBLESIDE AREA PHO. METER TEST RESULTS


Sample			Test Results							Comments	ALK	
Date	Site	Sample description	Phos	Iron	Amno	Comp	Snap	HH PH	S.T. PH			Pain result
01/06	LANGDALE	FE	1.75	0.182	—	—	✓	7.10	7.10	2.0	MLSS = 866	120
05-06	—	FE	1.24	0.143	—	—	✓	7.15	7.00	1.9	" 1125	90.
07/06	—	—	1.59	0.171	—	—	✓	7.18	7.08	1.8	" = 1005	80.
09/06	—	—	1.04	0.176	—	—	✓	7.10	7.05	1.9	" = 1048	80
13/06	—	—	0.460	0.286	—	—	—	7.03	7.00	1.8	" = 920	100
15/06	—	—	1.68	0.211	—	—	—	7.12	7.14	3.1	" = 783	80
17/06	—	—	1.72	0.280	—	—	—	7.29	6.93	4.0	" = 673*	80
20/06	—	—	2.09	0.66	—	—	—	7.11	7.03	2.9	" = 805	100
22/06	—	—	2.44	0.166	—	—	—	7.18	7.03	3.7	" = 874	120
24/06	—	—	1.82	0.943	—	—	—	7.06	6.93	2.2	" = 925	80
27/06	—	—	1.04	0.167	—	—	—	7.27	7.03	4.2	" = 832	50.
28-06	—	—	0.255	0.585	—	—	—	6.96	6.77	2.6	" = 856	40



JULY 2022

AMBLESIDE AREA PHU. METER TEST RESULTS


Date	Sample		Test Results					Snap	HH PH	5-YE pH	Fain result	Comments	ALK
	Site	Sample description	Phos	Iron	Amno	Comp							
01/07	LANGDALE	FE	0.324	0.420	—	—	✓	6.87	6.60	1.8	MLSS = 746	40	
04/07	—	—	0.400	0.615	—	—	✓	6.91	6.47	2.3	— = 872	40	
07/07	—	—	1.75	0.134	—	—	✓	6.90	6.4	2.8	— = 808	60	
11/07	—	—	1.04	0.356	—	—	✓	6.77	6.44	1.9	— = 840	100	
13/07	—	—	1.41	0.275	—	—	✓	7.22	6.42	2.3	— = 884	100	
18/07	—	—	1.61	0.518	—	—	✓	7.56	7.45	2.5	— = 919	90	
25/7	—	—	1.19	0.549	—	—	✓	7.40	7.40	2.1	— = 1010	70	
22/07	—	—	1.99	0.137	—	—	✓	7.18	7.90	2.1	— = 944	120	
29/07	—	—	1.19	0.353	—	—	✓	6.97	7.85	2.1	— = 834	100	



AUGUST 22

AMBLESIDE AREA PHC. METER TEST RESULTS

Sample		Test Results										Comments	ALK
Date	Site	Sample description	Phos	Iron	Ammo	Comp	Snap	HH PH	SITE pH	Palin result			
02/08	LANGDALE	OEM	1.51	0.248	—		✓	7.02	7.15	2.8	MLSS = 811	120	
03/08	—	FE	0.388	0.547	—		✓	7.01	7.80	2.2	— = 941	60	
05/08	—	—	0.698	0.397	—		✓	7.13	8.04	2.8	— = 904	100	
08/08	—	—	0.622	0.387	—		✓	6.91	7.02	2.3	— = 924	100	
10/08	—	—	1.33	0.420	—		✓	7.05	7.07	2.4	— = 868	120	
19/08	—	—	1.62	0.275	—		✓	7.35	7.25	3.2	— = 1038	210	
22/08	—	—	1.09	0.255	—		✓	7.10	7.12	1.9	— = 928	180	
25/08	—	—	0.950	0.223	—		✓	6.94	6.80	4.4	— = 807	80	
29/08	—	—	0.40 <sup>cup</sup>	0.224	—		✓	6.80	6.81	2.5	— = 1275	76	
30/08	—	—	0.793	0.308	—		✓	6.68	6.88	3.0	— = 1100	140	




OCTOBER 2022

AMBLESIDE AREA PHO. J METER TEST RESULTS

Date	Site	Sample description	Test Results							Comments	
			Phos	Iron	Amno	Comp	ALK	OSM	PH		Pain result
3/10	LANGDALE	FE	1.74	0.585	—		60	6.44	6.90	5.4	MLSG = 896
05/10	— " —	— " —	1.32	0.599	—		70	7.03	6.65	2.8	— " — = 905
11/10	— " —	— " —	0.172	0.228	—		80	6.90	6.94	2.3	— " — = 826
14/10	— " —	— " —	0.149	0.345	—		80	6.90	6.93	1.5	— " — = 788
17/10	— " —	— " —	0.315	0.219	—		70	6.72	6.72	1.1	— " — = 846
19/10	— " —	— " —	0.742	0.166	—		60	6.70	6.84	1.6	— " — = 789
21/10	— " —	— " —	0.245	0.277	—		80	6.75	6.98	1.8	— " — = 946.
24-10	— " —	— " —	0.218	0.266	—		60	6.68	7.02	1.6	— " — = 835
26/10	— " —	— " —	0.686	0.173	—		60	6.80	7.06	2.6	— " — = 977

X1  
LIME

\* 20/10/2022



NOVEMBER 2022

AMBLESIDE AREA PHO. JOMETER TEST RESULTS

Date	Site	Sample description	Test Results								Comments
			Phos	Iron	Ammo	ALK	HI PH	OSM	5/10 pH	Pain result	
03/11	LANGDALE	FE	0.390	0.172	—	60	6.99		6.62	2.0	MLSS = 832
08/11	— " —	— " —	0.384	0.219	—	60	7.08		6.60	3.0	— " — = 639
11/11	— " —	— " —	0.761	0.182	—	80	7.23		6.72	4.8	— " — = 225
14/11	— " —	— " —	1.06	0.137	—	80	7.00		6.68	3.0	— " — = 834
16/11	— " —	— " —	0.490	0.227	—	80	6.88		6.60	2.6	— " — = 813
18/11	— " —	— " —	0.495	0.370	—	40	6.77	*	6.46	2.6	— " — = 863
21/11	— " —	— " —	0.685	0.455	—	50	6.90		6.62	5.6	— " — = 903
25/11	— " —	— " —	0.165	0.575	—	60	7.02		6.78	3.0	— " — = 643
28/11	— " —	— " —	0.234	0.963	—	40	6.95		6.74	2.5	— " — = 693
30/11	— " —	— " —	0.326	0.480	—	50	7.15		6.82	4.8	— " — = 773

\* 14/11 Femic back on - MIXED LIQUORS RECOVERED

\* 10/11/22 MIXED LIQ LOW - FERRIC OFF - ESCALATED [REDACTED] \*







Onsite Monitoring Results Record Sheet


Ambleside Area Photometer Testing:

Lime added

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	10H pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
4-4-23	LANCDALE	FE	1.80	0.105	—	6.30	6.50	1.8	954	—	140	10.5
9-4-23	—	—	1.95	0.140	5-58	6.82	6.7	2.1	1000	16.0	60	12.3
10/4/23	—	—	1.99	0.175	—	6.84	7.10	7.0	793	—	120	12.4
11/4/23	—	—	1.92	0.135	—	6.74	—	1.3	1026	—	40	10.8
14/4/23	—	—	1.80	0.095	—	6.65	6.90	1.5	690	—	70	9.9
19/4/23	—	—	2.02	0.258	—	6.90	7.10	6.9	847	—	120	11.9
21/4/23	—	—	2.09	0.162	—	6.40	6.79	3.0	858	—	40	12.8
24/4/23	—	—	2.25	0.226	—	6.80	7.05	5.0	930	—	60	12.2
26/4/23	—	—	1.83	0.358	—	6.56	6.75	4.5	921	—	60	11.9
27-6-23	—	—	1.53	0.391	—	6.8	7.2	2.4	945	—	80	12.6

24/4 Lime Dosing Resumed

19/4 O.S.M





**Onsite Monitoring Results Record Sheet**

Ambleside Area Photometer Testing:


JANUARY 2024

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
02/01/24	LANGDALE	FE	0.844	0.062	—	6.40	6.60	2.5	687	—	40	9.1
05/01/24	—	—	1.00	0.038	—	6.50	6.84	3.1	696	—	40	9.8
09/01/24	—	—	1.54	0.107	—	6.45	7.06	3.8	660	—	40	6.8
11/01/24	—	—	1.54	0.102	—	6.40	6.61	9.0	640	—	40	7.4
17/01/24	—	—	1.37	0.585	—	6.56	7.2	3.6	860	—	40	4.6
23/01/24	—	—	0.723	0.037	—	6.58	7.27	1.7	960	—	60	8.0
26/01/24	—	—	0.737	0.060	—	6.23	6.80	5.0	632	—	50	8.0
29/01/24	—	—	1.67	0.070	—	6.45	6.78	2.1	665	—	80	9.5

4.6 Tanker visible to  
8. Across site 5 Nov/10

21/22nd STORM ISHA

23/24th STORM JOCELYN





Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing: *FEBRUARY 2024*

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	ISE pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
02/02/24	LANGDALE	FE	0.920	0.073	—	6.20	6.76	4.0	661	—	40	9.0
M. 05/02/24	—	—	1.33	0.070	—	6.37	6.75	4.0	661	—	40	9.7
07/02/24	—	—	0.610	0.048	—	7.07	6.92	4.2	667	—	40	8.5
09/02/24	—	—	1.15	0.088	—	7.15	7.01	5.0	692	—	60	8.0
M. 12/02/24	—	—	1.49	0.071	—	7.20	6.99	4.4	752	—	40	8.8
14/02/24	—	—	1.78	0.142	—	7.20	6.98	3.1	691	—	50	9.5
16/02/24	—	—	* NO SAMPLE TAKEN *			7.8	684	—	—	—	—	—
19/02/24	—	—	1.06	0.217	—	7.34	6.96	11.8	173	—	80	9.4
21/02/24	—	—	0.607	0.220	—	7.10	7.01	8.0	632	—	40	9.0
22/02/24	—	—	0.389	0.138	—	7.20	6.99	5.0	613	—	50	8.8
26/02/24	—	—	1.48	0.187	—	7.20	6.94	7.0	887	—	80	9.6
28/02/24	—	—	1.31	0.208	—	7.24	7.01	5.2	644	—	60	8.7





Water for the North West

Wastewater Treatment


Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing: APRIL 2024

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	titrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
02/04/24	LAMBDALE	FE	0.410	0.432	—	7.20	—	3.4	1000	—	100	11.3
05-04-24	—	—	0.182	0.523	—	—	—	—	—	—	46	—
08-04-24	—	—	0.085	0.977	—	7.10	—	7.5	475	—	40	9
10-04-24	—	—	0.189	1.12	—	7.10	—	7.1	695	—	60	9.8
15/04/24	—	—	0.963	0.520	—	7.20	—	12.0	602	—	80	10
22/04/24	—	—	1.56	0.227	—	7.26	—	2.5	687	—	100	12.1
24/04/24	—	—	1.89	0.187	—	7.30	7.24	4.2	637	—	100	11.9
12.04.24	—	—	0.363	2.29	—	7.1	—	7.1	647	—	—	10.5
26/4/24	—	—	1.56	0.584	—	7.26	7.57	5.4	664	—	120	11.2
29/4/24	—	—	0.911	0.488	—	7.19	—	4.6	707	—	100	11.6

12-04-24 Ferric OFP Escalation raised \* O.S.M 16/04 \*





Water for the North West

Wastewater Treatment

Version: 1

Issue date: 21/11/2022

Expiry date: 21/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing:

MAY 2024


\* 24/05 OSM \*

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
01/05/24	LANGDALE	FE	0.364	0.410	—	7.20	—	2.8	677	0.520	100	11.5
03/05/24	—	—	0.928	0.378	—	7.17	7.25	2.6	675	—	90	11.1
07/05/24	—	—	1.22	0.343	—	7.19	7.39	2.9	862	—	120	13.9
09/05/24	—	—	1.59	0.356	—	7.26	7.41	4.4	831	—	100	14.4
13/05/24	—	—	2.08	0.314	—	7.30	7.57	5.0	941	—	120	17.1
17-5-24	—	—	1.75	0.257	—	7.20	7.15	11.0	763	—	100	15.7
22/5/24	—	—	1.99	0.225	—	7.34	7.27	1.1	600	—	140	16.2
24/5/24	—	—	0.652	0.302	—	7.20	7.15	3.1	705	—	90	16.2
30/5/24	—	—	1.27	0.269	—	7.25	7.48	2.5	655	—	100	15.6

OSM \*

\* 4 5 6 B/HOL W/END \*

\* 25 26 27 B.HOL W/END \*









Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 21/11/2022  
Expiry date: 21/11/2025


### Onsite Monitoring Results Record Sheet


Ambleside Area Photometer Testing:

AUGUST 2024

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HI pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	FE Temperature (°C)
01/08/24	LANGDALE	FE	1.98	0.271	2.58	6.7	6.72	5.3	718	—	40	20°
02/08/24	—	—	2.33	0.260	0.316	6.64	?	4.3	689	—	40	19.5
(M) 05/08/24	—	—	2.04	0.178	1.98	6.76	?	3.2	924	—	50	18.2
06/08/24	—	—	0.767	0.146	0.113	6.85	7.03	1.70	820	—	60	17.1
07/08/24	—	—	1.13	0.136	0.223	6.93	7.07	1.3	798	—	60	17.2
(M) 12/08/24	—	—	1.96	0.138	1.31	6.52	6.83	3.1	962	—	60	19.0
14/08/24	—	—	2.19	0.147	3.43	6.54	6.97	3.9	1025	—	40	18.5
16/08/24	—	—	1.54	0.124	1.52	6.75	7.16	2.8	714	—	40	16.6
(M) 19/08/24	—	—	2.48	0.154	3.59	6.70	?	3.1	974	—	40	17.4
20/08/24	—	—	1.28	0.112	0.039	6.65	?	3.0	975	—	50	16.3
22/08/24	—	—	1.19	0.072	0.061	6.68	?	2.3	925	—	50	15.9
23-08/24	—	—	0.721	0.758	0.039	6.54	7.10	2.3	870	139	50	16.5
(T) 27/08/24	—	—	0.197	0.744	0.049	6.52	6.96	3.2	1090	—	60	15.9
29-08/24	—	—	0.222	1.47	0.223	6.91	6.58	3.0	767	—	70	15.3
30/08/24	—	—	0.302	1.38	1.29	6.67	6.88	5.0	654	—	60	15.9

\* 08/08. - OSM \*





Water for the North West

Wastewater Treatment

Version: 1  
Issue date: 23/11/2022  
Expiry date: 23/11/2025

### Onsite Monitoring Results Record Sheet

Ambleside Area Photometer Testing:

SEPTEMBER 24

Date	Site	Sample Type	PHOS (mg/l)	IRON (mg/l)	AMMO (mg/l)	Site pH	HH pH	Turbidity (NTU)	MLSS (mg/l)	Nitrate (mg/l)	Alkalinity (mg/l)	RE Temperature (°C)
02/09/24	LANCDALE	FE	0.257	0.442	0.204	6.40	7.30	1.4	714	—	40	17.5
04/09/24	—	—	0.201	0.472	0.158	6.66	6.60	2.9	697	—	40	16.8
06/09/24	—	—	0.202	0.581	0.122	6.73	6.77	5.8	580	—	40	17.2
09/09/24	—	—	0.837	0.692	1.08	6.23	6.10	3.1	730	—	30	17.6
11/09/24	—	—	0.490	0.439	0.270	6.51	6.64	2.2	690	—	30	15.8
13/09/24	—	—	1.76	0.139	0.441	6.54	6.64	1.2	780	—	40	14.6
16/09/24	—	—	1.15	0.099	0.092	6.93	6.97	1.2	699	—	80	14.8
18/09/24	—	—	1.76	0.156	0.251	6.65	6.72	1.5	694	—	40	15.9
20/09/24	—	—	1.63	0.420	0.597	6.41	6.44	2.3	685	—	40	15.6
22/09/24	—	—	1.17	0.537	1.24	6.46	6.44	2.9	870	—	30	16.3
25/09/24	—	—	0.807	0.367	0.122	6.56	6.58	1.6	927	—	30	15.6
27/09/24	—	—	0.658	0.213	0.096	6.60	6.68	1.3	875	—	30	14.2

OSM - 19/09/24 Phos - 2.11 Iron - 0.125 Ammo. 0.356