

Dear [REDACTED]

Thank you for your request for environmental information. We appreciate your interest, and we want to let you know that your request has been carefully considered in accordance with the Environmental Information Regulations (EIR). As the request contained a number of specific questions, this response, restates each part of the request (in bold) and then follows this with our response:

I wonder might I ask some questions concerning closure of sewage treatment facilities and diverting the foul load forward to neighbouring treatment facilities.

Could you advise details of any STW closures, conversion to Pumping Station and pumping foul load to nearby sewage treatment facility.

- 1. Please supply details for assets where this has become operational since 2005. Please include name of closed site and name of receiving site.**

Please see a copy of the sites where this change has been implemented since 2005 on the first tab of Appendix 1.

- 2. Please supply details for assets where this change is currently being implemented. Please include name of closing site and name of receiving site.**

There are no current changes being implemented; therefore, we are unable to provide you with this information in accordance with Regulation 12(4)(a) of the EIR.

- 3. Please supply details for assets where this change is being planned for the future, but no commencement has taken place. Please include name of closing site and name of receiving site.**

Please see a copy of the sites where this change is currently being considered, however no commencement has taken place in the second tab of Appendix 1. Future plans are in the very early stages of development and may change depending on many factors, including environmental drivers, available technology and future demand. As with any transfer, a full assessment will take place before any project commences. This will consider capacity, and upgrade requirements at the receiving treatment works, and the impact on the network assets between the two locations.

We hope that this response answers your request. However, if you're not satisfied with

how we've handled it, you can request an internal review. To do this, please write to us at Environmental Information Office, Haweswater House, Lingley Mere, Warrington, WA5 3LP or email us at EIRRequests@uuplc.co.uk, addressing your request to [REDACTED], and explaining why you're unhappy with our response. We'll be very happy to review your request and ensure we've done everything we can to assist you.

Any request for an internal review should be made within 40 working days of receipt of this response, and we will reply within 40 working days from receipt of the request for internal review.

Many thanks

[REDACTED]

We'd love to hear your feedback on how we handled your request! If you have a moment, please complete our short survey [here](#) – your input helps us improve our service.