



United Utilities Water Limited
Haweswater House
Lingley Mere Business Park
Lingley Green Avenue
Great Sankey
Warrington WA5 3LP

Telephone: 01925 237000
unitedutilities.com

Our ref: EIR-860
Date: 08/06/2026
Email: EIRRequests@uuplc.co.uk

Dear [REDACTED]

Thank you for your request for environmental information. We appreciate your interest, and we want to let you know that your request has been carefully considered in accordance with the Environmental Information Regulations (EIR).

Your request

Hello, is it possible to provided with details (water quality, abstraction quantities, purpose, etc) on the public water supply groundwater abstractions within our study site (as attached (applicable postcode [REDACTED])

Our response

Having reviewed the referenced study site, I can confirm that we do not have any abstraction points within it. As such, we are unable to provide you with the requested information in line with Regulation 12(4)(a) of the EIR, as it is not held.

We hope that this response answers your request. However, if you're not satisfied with how we've handled it, you can request an internal review. To do this, please write to us at Environmental Information Office, Haweswater House, Lingley Mere, Warrington, WA5 3LP or email us at EIRRequests@uuplc.co.uk, addressing your request to [REDACTED], and explaining why you're unhappy with our response. We'll be very happy to review your request and ensure we've done everything we can to assist you.

Any request for an internal review should be made within 40 working days of receipt of this response, and we will reply within 40 working days from receipt of the request for internal review.

Many thanks
[REDACTED]

We'd love to hear your feedback on how we handled your request! If you have a moment, please complete our short survey [here](#) – your input helps us improve our service.